

**goplasticpallets.com®**

The Responsible Plastic Pallet Company



## CabCube Range

Sustainable, Space Saving  
& Lightweight Sleeve-Packs  
with Lids

A strong injection moulded three-piece pallet box. Ideal for safe transportation of bulk and large volume products.

## KEY ADVANTAGES


- ◆ Three-piece CabCube unit consisting of pallet base, sleeve and lid. Helps to optimise logistics in the supply chain and reduce CO2 emissions
- ◆ Available in 3 footprints 1210x1010x990mm 1235x830x954mm and 1610x1208x750mm. Drop door openings allow easy access to contents
- ◆ Easy and quick to erect and when not in use folds flat saving space in the Warehouse and on transport.
- ◆ The 1210x1010x990mm CabCube 2.0 folds to 222mm optimising space savings when empty.
- ◆ Lightweight but strong to protect contents and allow for frequent use in closed loop systems. Sleeve height and door configurations can be customised
- ◆ The pallet base and lid are manufactured from 100% recycled HDPE material. The sleeve is 100% virgin PP material. Overall 66% recycled material and fully recyclable at the end of the useful working life of the unit



## TRUCK LOADS

### CabCubes per Truck - CabCube 2.0

Storage space	26 pallet spaces
Set up containers	52 (2 per stack)
Empty Containers (flat)	312 (12 per stack)
Return rate	1 : 4,7



The CabCube range is manufactured with an injection moulded base and lid in recycled Polyethylene(PE). The sleeve is virgin grade Polypropylene(PP). This distinguishes it from other products currently on the market. It is quick and easy to assemble with a deep recess to secure the sleeve in the pallet base.

CabCube sleeve-packs are strong and will complete many cycles in the supply chain.

When not in use the folded sleeve is simply stored between the pallet base and lid, keeping all three parts together in one pack, for safe and efficient storage and return journeys.



Dimensions	CabCube 2.0	CabCube 3.0	CabCube 1612
<b>External (mm)</b>	1210 x 1010 x 990	1235 x 830 x 954	1610 x 1208 x 750
<b>Internal (mm)</b>	1140 x 940 x 816	1190 x 785 x 773	1540 x 1140 x 560
<b>Box Volume</b>	875 Litre	722 Litre	983 Litre
<b>Weight</b>	39kg	37kg	49kg
<b>Collapsed pack height</b>	222 mm	239 mm	251 mm
<b>Base configuration</b>	9 Feet	4 Feet / 3 Runner (option)	9 Feet
<b>Drop Door</b>	1 Std	1 Std	Optional
<b>Load capacity*</b>	3 High / 6 High	3 High / 6 High	3 High / 6 High
<b>Max. filling weight</b>	250 kg / 500kg	250 kg / 500kg	250 kg / 500kg
<b>Max. stacking load</b>	1450kg / 1200kg	1450kg / 1200kg	1450kg / 1200kg
<b>Max. stacking factor</b>	1 + 5 / 1 + 2	1 + 5 / 1 + 2	1 + 5 / 1 + 2

\*Guideline values are based on experience and tests with evenly distributed loads at room temperature.