



GoFLC 960 & 980

Extremely robust folding pallet containers

BENEFITS



100% size and strength consistency; its uniform dimensions and weight prevent inconsistencies which can disrupt a production line or warehouse.



Its strength is unrivalled when compared with alternatives; it can withstand frequent use in rigorous, closed loop scenarios, in manual and automated systems.



Manufactured from black recycled HDPE, low maintenance and easy to clean if required.



When not in use the 1200 x 1000mm unit folds down to a compact 317mm, allowing a standard sized truck to transport up to 206 units. The 1200 x 800mm unit folds down to 354mm and allows for 198 to be loaded.



Fully recyclable at the end of their working life. Helping to create greener supply chains.

The GoFLC 960 & 980 work flawlessly in automated warehouses and with material handling equipment. The strength, consistency and reliability make this folding box the perfect companion to high-end systems.









FEATURES



SPECIFICATIONS

GoFLC 960

External (mm)	1200 x 800 x 960		
Internal (mm)	1110 x 720 x 790		
Volume	625 Litre		
Material	78% Recycled HDPE, 22% Virgin HDPE		
Weight (kg)	65		
Max load per box (kg)	900		
Dynamic Load	2700kg		
Static Load	5400kg		
Collapsed Height	354mm		
Truck Quantity	198		
Lid	Yes (optional)		

GoFLC 980

001 LC 700		
External (mm)	1200 x 1000 x 980	
Internal (mm)	1113 x 913 x 860	
Volume	847 Litre	
Material	71% Recycled HDPE, 29% Virgin HDPE	
Weight (kg)	69	
Max load per box (kg)	900	
Dynamic Load	2700kg	
Static Load	4500kg	
Collapsed Height	317mm	
Truck Quantity	206	
Lid	Yes (optional)	

NOTE: Access through the 1200mm side is 72mm high, so will not accept normal pallet trucks, but perfect for forklift trucks.





Goplasticpallets.com - All Pallets Ltd

Unit 6, Alder Close, Eastbourne, East Sussex, United Kingdom, BN23 6QF Tel: +44 (0)1323 744057 ◆ Email: sales@goplasticpallets.com